TTM	à-	
77 / 2		ŧ
Sheet 1 de	量	
		5
Serial No.		9
Not Yet Known		-

Form PTO-1449 U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE CITATION

Atty. Docket No.
38586-B/JPW/ADM

Applicant: Linda B. Buck and Richard Axel

	` '								f necessary	Filing Date: Herewith	Group Art Unit				
									U.S. PA	TENT DOCUM	MENTS			-	
Examiner Initial	Document Number						nbei	-	Date Name		Class	Subclass		Filing Date if Appropriate	
FOREIGN PATENT DOCUMENTS															
	Document Number				mb	er	Date	Country	Class	Subclass	Translation				
													Yes	No	
2		0	3	3	5	6	5	4	10/4/89	EPO					
	(TC	HE	CR	DC	CU	J M :	EN	TS (Includ	ling Author, Ti	tle, Date, Perti	inent Pages, E	ctc.)		
8	Anholt, R.H. (1991) Odor recognition and olfactory transduction:									uction:					
	the new frontier. Chemical Senses 16(5):421-427.														
4	Buck, L. and Axel, R. (1991) A novel multigene family may encode odorant receptors: a molecular basis for odor recognition. Cell 65: 175-187.														
~		Dancigier, E. et al. (1989) Olfactory marker protein gene: its structure and olfactory neuron-specific expression in transgenic mice. Proc. Nat. Acad. Sci. 86:8565-8569.													
		Dhallan, R.S., Yau, KW., Schrader, K.A., and Reed, R.R. (1990) Primary structure and functional expression of a cyclic nucleotide-activated channel from olfactory neurons. Nature 347: 184-187.													
		Fesenko, E.E. et al. (1985) Molecular mechanisms of olfactory reception. VI. Kinetic characteristics of camphor interaction with binding sites of rat olfactory epithelium. Biochimica Biophysica Acta 839(3): 268-275.													
		Firestein, S. (1991) A noseful of odor receptors. Trends in Neuroscience (14)7: 270-272.													
2	Flanagan, J.G., Lefranc, MP., and Rabbitts, T.H. (1984) Mechanisms of divergence and convergence of the human immunoglobulin α1 and α2 constant region gene sequences. Cell 36: 681-688.														
	Getchell T. V. (1988) Induction of odorant-evoked current transients in Xenopus oocyte injected with mRNA isolated from the mucosa of Rana pipiens. Neuroscience Letters 91(2): 217-221.														
EXAMINER DATE CONSIDERED 7-11-02															

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.


Linda B. Buck and Richard Axel U.S. Serial No.: Not Yet Known

Filed: Herewith Exhibit A

Atty. Docket No. U.S. Serial No. 38586-B/JPW/ADM Form PTO-1449 Not Yet Known U.S. DEPARTMENT OF COMMERCE (REV. 8-83) PATENT AND TRADEMARK OFFICE Applicant: Linda B. Buck and Richard Axel INFORMATION DISCLOSURE CITATION Filing Date Group Art (Use several sheets if necessary) Herewith OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Graziadei, P.P.C. and Graziadei M. G.A. (1979) Neurogenesis and reuron regeneration in the olfactory system of mammals. I. Morphological aspects of differentiation and structural organization of the olfactory sensory neurons. Journal of Neurocytology 8(1): 1-18. Hamm, H.E., Deretic, D., Arendt, A., Hargrove, P.A., Koenig, B., and Hofmann, K.P. (1988) Site of G protein binding to rhodopsin mapping with synthetic peptides to the lpha subunit. Science 241: 832-835. Hood, L. et al. (1985) T cell antigen receptors and the immunoglobulin supergene family. Cell 40: 225-229. Jones, D.T. and Reed, R.R. (1989) ${
m G_{olf}}\colon$ an olfactory neuron specific-G-protein involved in odorant signal transduction. Science 244: 790-795. Julius, D. et al. (1988) Molecular characterization of a functional cDNA encoding a seritonin 1c receptor. Science 241: 558-564. Kashiwayanaqi, M. et al. (1989) High sensitivity odor sensor using artificial membrane. Kagaky Kogyo, Vol. 40, No. 11. Lancet, D. (1986) Vertebrate olfactory reception. Neurosci. 9: 329-355. Levy, N.S. et al. (1991) Signal transduction in olfactory neurons. J. Steroid Biochem. Mol. Biol. 39: 633-637. Maeda, N. and Smithies, O. (1986) The evolution of multigene families: Human haptoglobin genes. Ann. Rev. Genet. 20: 81-108. Masu Y. et al. (1987) cDNA cloning of bovine substance-K receptor through oocyte expression system. Nature 329: 836-838. Moulton, D.G. and Beidler, L.M. (1967) Structure and Function in the peripheral olfactory system. Physiol. Rev. 47: 1-52. Nakamura, T. and Gold, G. (1987) A cyclic nucleotide-gated conductance in olfactory receptor cilia. Nature 325: 442-444. Nathans, J. et al. (1986) Molecular Genetics of Human color vision: The genes encoding blue, green and red pigments; Science (1986 Apr 11) 232(4747): 193-202. Novoselov, V.I. et al. (1987) The properties of receptor molecules from rat olfactory epithelium. Sensory Systems 1(1): 1-7. O'Dowd, B.F., Felkowitz, R.J., and Caron, M.G. (1989) Structure of the adrenergic and related receptors. Ann. Rev. Neurosci. 12: 67-83. Pace, U. et al. (1985) Odorant-sensitive adenylate cyclase may mediate olfactory reception. Nature 316: 255-258. DATE CONSIDERED EXAMINER 7-11-02 Cin

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

	PTO-1449 U.S. DEPARTMENT OF COMMERCE 8-83) PATENT AND TRADEMARK OFFICE	Atty. Docket No. 38586-B/JPW/ADM	U.S. Serial No. Not Yet Known						
(KEV		Applicant: Linda B. Buck and Richard Axo	el						
	INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)	Filing Date	Group Art						
-		Herewith							
	OTHER DOCUMENTS (Including Author, Title, I								
2	Parmentier, M. et al. (1992) Expressio olfactory receptor gene family in mamma 453-455.								
	Pevsner, J. et al. (1985) Isolation and characterization of an olfactory receptor protein for odorant pyrazines. Proc. Natl. Acad. Sci. USA 82: 3050-3054.								
1	Reed, R.R. (1990) How Does the nose Know? Minireview. Cell 60: 1-2.								
2	Rhein, L.D. and R.H. Cagan (1983) Biochemical studies of olfaction: Binding specificity of odorant to a cilia preparation from rainbow trout olfactory rosettes. J. Neurochem. 41: 569-577.								
2	Selbie L.A. et al. (1992) Novel G prote family of putative human olfactory rece Research: Molecular Brain Research 13(1	ptor sequences. Brai							
4	Sicard, G. (1985) Olfactory discrimina molecules: receptor cell responses to c Res. 326: 203-212.								
2	Sklar, P.B. et al. (1986) The odorant-s olfactory receptor cells: Differential classes of odorant. J. Biol. Chem. 261:	stimulation by disti							
1	Stewart, W.B. et al. (1979) Functional olfactory bulb analyzed by the 2-deoxy Neurol. 185: 715-734.								
2	Strader, C.D. et al. (1989) Structural function. FASEB J. 3: 1825-1832.	basis of β-adrenergi	c receptor						
	Thommesen, G. and Doving, K.B. (1977) S in the rat. A variation with odour stim 99: 270-280.								
4	Tonegawa, S. (1983) Somatic generation 302: 575-581.	of antibody diversit	y. Nature						
a	Touhara, K. et al. (1991). A novel mul odorant receptors: a molecular basis fo Chemtracts: Organic Chemistry, Vol. 4,	r odor recognition. No. 4. pp. 325-328.							
7	Yoshii K. et al. (1989) Inward rectifie injected with mRNA extracted from Carp 3: 234-238.								
EXAM	EXAMINER JUL CA DATE CONSIDERED 7-11-02								
*EXAi and no	*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.								



*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

DATE CONSIDERED

7-11-02